


# Computational Geometry



## Motion Planning

### Lecture #10

# Planning




current situation,  
desired situation





sequence of steps to reach  
the one from the other

# Path Planning




current location,  
desired location



path to reach the  
one from the other

# Point-Shaped Robots



preprocessing

- Create trapezoidal map of obstacle edges.  $O(n \log n)$
- Remove vertical extensions inside obstacles.  $O(n)$
- Vertices at centers of trapez. and vertical ext.  $O(n)$
- Connect “neighboring” vertices by line segm.  $O(n)$

querying

- Locate  $p_{start}, p_{goal}$  in map  $\rightarrow \Delta_{start}, \Delta_{goal}$ .  $O(\log n)$
- Do breadth-first search in the *roadmap* to find a path  $\pi$  from  $\Delta_{start}$  to  $\Delta_{goal}$ .  $O(n)$
- Connect  $p_{start}, p_{goal}$  to  $\pi$  by line segments.  $O(1)$


# A First Result

**Theorem:** We can preprocess a set of polygonal obstacles with a total of  $n$  edges in  $O(n \log n)$  expected time such that, given a start and a goal position, we can find a collision-free path for a point robot in  $O(n)$  time if it exists.


What about, say, *polygonal* robots?

# Degrees of Freedom


Every robot has some number  $d$  of *degrees of freedom*, meaning that its *configuration* with respect to the world can be specified by  $d$  parameters.




2D translating robot



2D translating, rotating robot




3D translating robot




3D translating, rotating robot

# Configuration Space




The *configuration space* is the  $d$ -dimensional space of all possible (i.e., obstacle avoiding) parameter value combinations.

Path for a *point* through configuration space



path for the *robot* in the original space.

# Example: Translating 2D Polygonal Robots



- Compute  $\mathcal{CP}_i = \{(x, y) : \mathcal{R}(x, y) \cap \mathcal{P}_i \neq \emptyset\}$  for each  $\mathcal{P}_i$ .
- Compute their union  $\mathcal{C}_{\text{forb}} = \bigcup_i \mathcal{CP}_i$ .
- Find a path for a point in the complement  $\mathcal{C}_{\text{free}}$  of  $\mathcal{C}_{\text{forb}}$ .  
 $\Rightarrow$  collision-free path for the robot in work space




# Some Linear Algebra

## Vector sums

Algebra:  $(p_x, p_y) + (q_x, q_y) = (p_x + q_x, p_y + q_y)$


Geometry: place vectors head to tail



## Minkowski sums

Algebra:  $S_1 \oplus S_2 = \{p + q \mid p \in S_1, q \in S_2\}$


Geometry: place copy of one shape at every point of the other



## Inversion

Algebra:  $-S = \{-p \mid p \in S\}$

Geometry: rotate  $180^\circ$  (point-mirror) around reference point



# Characterizing $\mathcal{CP}$

Recall that  $\mathcal{CP} = \{(x, y) : \mathcal{R}(x, y) \cap \mathcal{P} \neq \emptyset\}$  for an obstacle  $\mathcal{P}$ .

In other words:  $\mathcal{R}(x, y)$  intersects  $\mathcal{P} \iff (x, y) \in \mathcal{CP}$ .

**Theorem.**  $\mathcal{CP} = \mathcal{P} \oplus (-\mathcal{R}(0, 0))$


*Proof.* Show:  $\mathcal{R}(x, y)$  intersects  $\mathcal{P} \iff (x, y) \in \mathcal{P} \oplus (-\mathcal{R}(0, 0))$ .

“ $\Rightarrow$ ” Suppose  $\mathcal{R}(x, y)$  intersects  $\mathcal{P}$ .

Let  $q \in \mathcal{R}(x, y) \cap \mathcal{P}$ . Then...


“ $\Leftarrow$ ” Let  $(x, y) \in \mathcal{P} \oplus (-\mathcal{R}(0, 0))$ .

Then there are points  
 $q \in \mathcal{P}$  and  $r \in \mathcal{R}(0, 0)$   
 such that ...



# Minkowski Sums: Complexity

**Theorem:** If  $\mathcal{P}$  and  $\mathcal{R}$  are convex polygons with  $n$  and  $m$  edges, respectively, then  $\mathcal{P} \oplus \mathcal{R}$  is a convex polygon with at most  $n + m$  edges.





# Minkowski Sums: Computation

**Task:** How would you compute  $\mathcal{P} \oplus \mathcal{R}$  given  $\mathcal{P}$  and  $\mathcal{R}$ ?





**Idea:**  $\mathcal{P} \oplus \mathcal{R} = \text{CH}(\underbrace{\{p + r \mid p \in \mathcal{P}, r \in \mathcal{R}\}}_{\text{Minkowski sum of vertices}})$  (Proof?)

**Problem:** complexity  $\in \Theta(|\mathcal{P}| \cdot |\mathcal{R}|)$  :-)

**Theorem.** The Minkowski sum of two convex polygons  $\mathcal{P}$  and  $\mathcal{R}$  can be computed in  $O(|\mathcal{P}| + |\mathcal{R}|)$  time.



# Pseudodisks



## Definition:

A pair of planar objects  $o_1$  and  $o_2$  is a pair of pseudodisks if:

- $\partial o_1 \cap \text{int}(o_2)$  is connected, and
- $\partial o_2 \cap \text{int}(o_1)$  is connected.


$p \in \partial o_1 \cap \partial o_2$  is a *boundary crossing* if  $\partial o_1$  crosses at  $p$  from the interior to the exterior of  $o_2$ .

## Observation:

A pair of polygonal pseudodisks defines at most two boundary crossings.

# Extreme Directions

**Observation:** Let  $\mathcal{P}_1, \mathcal{P}_2$  be interior-disjoint convex polygons  
 Let  $d_1$  and  $d_2$  be directions in which  $\mathcal{P}_1$  is  
 more extreme than  $\mathcal{P}_2$ .  
 Then  $\mathcal{P}_1$  is more extreme than  $\mathcal{P}_2$  either in  
 $[d_1, d_2]$  or in  $[d_2, d_1]$ .




# Polygonal Pseudodisks

**Theorem:** If  $\mathcal{P}_1$  and  $\mathcal{P}_2$  are convex polygons with disjoint interiors, and  $\mathcal{R}$  is another convex polygon, then  $\underbrace{\mathcal{P}_1 \oplus \mathcal{R}}_{\mathcal{CP}_1}$  and  $\underbrace{\mathcal{P}_2 \oplus \mathcal{R}}_{\mathcal{CP}_2}$  is a pair of pseudodisks.

*Proof.* It suffices to show:  $\mathcal{CP}_1 \setminus \mathcal{CP}_2$  is connected.

Suppose  $\mathcal{CP}_1 \setminus \mathcal{CP}_2$  is not connected...



⚡ to previous observation!


since

- $d_q$  and  $d_s$  are also extreme for  $\mathcal{P}_1$  and
- $d_p$  and  $d_r$  are also extreme for  $\mathcal{P}_2$ .


(and  $\mathcal{P}_1$  and  $\mathcal{P}_2$  are convex and interior-disjoint).

# Union Complexity

**Theorem:** A collection  $S$  of convex polygonal pseudodiscs with  $n$  vtx in total has a union with  $\leq 2n$  vtx.



*Proof.* Charge every vtx of the union to a polygon vtx s.t. every polygon vtx is charged at most twice.





# Summary and Main Result

**Theorem:** Let  $\mathcal{R}$  be a constant-complexity convex robot, translating among a set  $S$  of disjoint polygonal obstacles with  $n$  edges in total. We can preprocess  $S$  in  $O(n \log^2 n)$  time such that, given any start and goal position, we can compute in  $O(n)$  time a collision-free path for  $\mathcal{R}$  if it exists.

*Proof.*

- $O(n \log n)$  • Triangulate the obstacles if not convex. Ch.3
- $O(n)$  • Compute  $\mathcal{CP}_i$  for every convex obstacle  $\mathcal{P}_i$ .
- $O(n \log^2 n)$  • Compute their union  $\mathcal{C}_{\text{forb}} = \bigcup_i \mathcal{CP}_i$  using div. and conq. (merge by sweeping – Ch.2.3)  
 [Argue carefully about the number of intersection pts!]
- $O(n)$  • Find a path for a point in the complement  $\mathcal{C}_{\text{free}}$ .